


Claims

We claim:

1. A pharmaceutical composition capable of treating a NHR- associated condition, comprising a compound of the following formula I or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier:



where the symbols have the following meanings, and are, for each occurrence, independently selected:

G is a cycloalkenyl, aryl or heterocyclo (e.g., heteroaryl) group, where said group is mono- or polycyclic, and which is optionally substituted at one or more positions, preferably with hydrogen, alkyl or substituted alkyl, alkenyl or substituted alkenyl, alkynyl or substituted alkynyl, halo, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, aryl or substituted aryl, heterocyclo or substituted heterocyclo, arylalkyl or substituted arylalkyl, heterocycloalkyl or substituted heterocycloalkyl, CN, $R^1OC=O$, $R^1C=O-O$, $R^1C=O$, $R^1C=S$, $R^1HNC=O$, $R^1R^2NC=O$, $HO-CR^3R^3'$, nitro, R^1OCH_2 , R^1O , NH_2 , NR^4R^5 , SR^1 , $S=OR^1$, SO_2R^1 , SO_2OR^1 , $SO_2NR^1R^1'$, $(R^1O)(R^1'O)P=O$, oxo, $(R^1)(R^1')P=O$, or $(R^1')(NHR^1)P=O$;

Z_1 is O, S, NH, or NR^6 ;

Z_2 is O, S, NH, or NR^6 ; and

(i) Y is J-J'-J'' where J is $(CR^7R^{7'})_n$ and $n = 0-3$, J' is a bond, $C=O$, $CR^7R^{7'}$, $C=CR^8R^{8'}$, $R^2P=O$, $R^2P=S$, $R^2OP=O$, $R^2NHP=O$, $OP=OR^2$, $C=NR^7$, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl,

heterocyclo or substituted heterocyclo or aryl or substituted aryl, and J'' is

$(CR^7R^{7'})_n$ and $n = 0-3$, where Y is not a bond;

W is $CR^7R^{7'}-CR^7R^{7'}$, $CR^8=CR^{8'}$, $CR^7R^{7'}-C=O'$, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, or aryl or substituted aryl;

5 A₁ is CR^7 or N; and

A₂ is CR^7 or N; or alternatively

(ii) Y is absent;

W is $CR^7R^{7'}-CR^7R^{7'}$, $CR^8=CR^{8'}$, $CR^7R^{7'}-C=O$, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, or aryl or substituted aryl;

A₁ is $CR^7R^{7'}$ or NR^7 ; and

A₂ is $CR^7R^{7'}$ or NR^7 ; or alternatively

(iii) Y is absent; and

A₁, A₂ and W together are $-NR^7-N=N-$; and

15 Q₁ is H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocycloalkyl or substituted heterocycloalkyl, arylalkyl or substituted arylalkyl, alkynyl or substituted alkynyl, aryl or substituted aryl, heterocyclo (e.g., heteroaryl) or substituted heterocyclo (e.g., substituted heteroaryl), halo, 20 CN, $R^1OC=O$, $R^4C=O$, $R^5R^6NC=O$, $HO-CR^7R^{7'}$, nitro, R^1OCH_2 , R^1O , NH_2 , $C=OSR^1$, SO_2R^1 or NR^4R^5 ;

Q₂ is H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocycloalkyl or substituted heterocycloalkyl, arylalkyl or substituted arylalkyl, alkynyl or substituted alkynyl, aryl or substituted aryl, heterocyclo 25 (e.g., heteroaryl) or substituted heterocyclo (e.g., substituted heteroaryl), halo, CN, $R^1OC=O$, $R^4C=O$, $R^5R^6NC=O$, $HO-CR^7R^{7'}$, nitro, R^1OCH_2 , R^1O , NH_2 , $C=OSR^1$, SO_2R^1 or NR^4R^5 ;

L is a bond, $(CR^7R^{7'})_n$, NH , NR^5 , $NH(CR^7R^{7'})_n$, or $NR^5(CR^7R^{7'})_n$, where $n = 0-3$;

30 R¹ and R^{1'} are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted

10075870-021402

cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl;

- 5 R^2 is alkyl or substituted alkyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl;
- 10 R^3 and $R^{3'}$ are each independently H, alkyl or substituted alkyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, halo, CN, hydroxylamine, hydroxamide, alkoxy or substituted alkoxy, amino, NR^1R^2 , thiol, alkylthio or substituted alkylthio;
- 15 R^4 is H, alkyl or substituted alkyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, $R^1C=O$, $R^1NHC=O$, SO_2OR^1 , or $SO_2NR^1R^{1'}$;
- 20 R^5 is alkyl or substituted alkyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, $R^1C=O$, $R^1NHC=O$, SO_2R^1 , SO_2OR^1 , or $SO_2NR^1R^{1'}$;
- 25 R^6 is alkyl or substituted alkyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, $R^1C=O$, $R^1NHC=O$, SO_2R^1 , SO_2OR^1 , or $SO_2NR^1R^{1'}$;
- 30 R^6 is alkyl or substituted alkyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, $R^1C=O$, $R^1NHC=O$, SO_2R^1 , SO_2OR^1 , or $SO_2NR^1R^{1'}$;


cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, CN, OH, OR¹, R¹C=O, R¹NHC=O, SO₂R¹, SO₂OR¹, or SO₂NR¹R^{1'};

R⁷ and R^{7'} are each independently H, alkyl or substituted alkyl, alkenyl or substituted

5 alkenyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, halo, CN, OR¹, nitro, hydroxylamine, hydroxylamide, amino, NHR⁴, NR²R⁵, NOR¹, thiol, alkylthio or substituted alkylthio, R¹C=O, R¹OC=O, R¹C=O—O—, R¹NHC=O, SO₂R¹, SOR¹, PO₃R¹R^{1'}, R¹R^{1'}NC=O, C=OSR¹, SO₂R¹, SO₂OR¹, or SO₂NR¹R^{1'}; and

R⁸ and R^{8'} are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, nitro, halo, CN, OR¹, amino, NHR⁴, NR²R⁵, NOR¹, alkylthio or substituted alkylthio, C=OSR¹, R¹OC=O, R¹C=O, R¹NHC=O, R¹R^{1'}NC=O, SO₂OR¹, S=OR¹, SO₂R¹, PO₃R¹R^{1'}, or SO₂NR¹R^{1'}.

2. A method of modulating the function of a nuclear hormone receptor which comprises administering to a mammalian species in need thereof an effective nuclear hormone receptor modulating amount of a compound of the following formula I or a pharmaceutically acceptable salt thereof:



(I)

where the symbols have the following meanings, and are, for each occurrence, independently selected:

- 5 G is a cycloalkenyl, aryl or heterocyclo (e.g., heteroaryl) group, where said group is mono- or polycyclic, and which is optionally substituted at one or more positions, preferably with hydrogen, alkyl or substituted alkyl, alkenyl or substituted alkenyl, alkynyl or substituted alkynyl, halo, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, aryl or substituted aryl, heterocyclo or substituted heterocyclo, arylalkyl or substituted arylalkyl, heterocycloalkyl or substituted heterocycloalkyl, CN, $R^1OC=O$, $R^1C=O-O-$, $R^1C=O$, $R^1C=S$, $R^1HNC=O$, $R^1R^2NC=O$, $HO-CR^3R^3'$, nitro, R^1OCH_2 , R^1O , NH_2 , NR^4R^5 , SR^1 , $S=OR^1$, SO_2R^1 , SO_2OR^1 , $SO_2NR^1R^1'$, $(R^1O)(R^1'O)P=O$, oxo, $(R^1)(R^1')P=O$, or $(R^1')(NHR^1)P=O$;
- 10
- 15 Z_1 is O, S, NH, or NR^6 ;
 Z_2 is O, S, NH, or NR^6 ; and
 (i) Y is J-J'-J'' where J is $(CR^7R^{7'})_n$ and $n = 0-3$, J' is a bond, C=O, $CR^7R^{7'}$, $C=CR^8R^{8'}$, $R^2P=O$, $R^2P=S$, $R^2OP=O$, $R^2NHP=O$, $OP=OR^2$, $C=NR^7$, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo or aryl or substituted aryl, and J'' is $(CR^7R^{7'})_n$ and $n = 0-3$, where Y is not a bond;
- 20 W is $CR^7R^{7'}-CR^7R^{7'}$, $CR^8=CR^{8'}$, $CR^7R^{7'}-C=O$, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, or aryl or substituted aryl;
- A_1 is CR^7 or N; and
- 25 A_2 is CR^7 or N; or alternatively
 (ii) Y is absent;
 W is $CR^7R^{7'}-CR^7R^{7'}$, $CR^8=CR^{8'}$, $CR^7R^{7'}-C=O$, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, or aryl or substituted aryl;
- 30 A_1 is $CR^7R^{7'}$ or NR^7 ; and
 A_2 is $CR^7R^{7'}$ or NR^7 ; or alternatively

(iii) Y is absent; and

A₁, A₂ and W together are -NR⁷-N=N-; and

Q₁ is H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocycloalkyl or substituted heterocycloalkyl, arylalkyl or substituted arylalkyl, alkynyl or substituted alkynyl, aryl or substituted aryl, heterocyclo (e.g., heteroaryl) or substituted heterocyclo (e.g., substituted heteroaryl), halo, CN, R¹OC=O, R⁴C=O, R⁵R⁶NC=O, HOCR⁷R^{7'}, nitro, R¹OCH₂, R¹O, NH₂, C=OSR¹, SO₂R¹ or NR⁴R⁵;

Q₂ is H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocycloalkyl or substituted heterocycloalkyl, arylalkyl or substituted arylalkyl, alkynyl or substituted alkynyl, aryl or substituted aryl, heterocyclo (e.g., heteroaryl) or substituted heterocyclo (e.g., substituted heteroaryl), halo, CN, R¹OC=O, R⁴C=O, R⁵R⁶NC=O, HOCR⁷R^{7'}, nitro, R¹OCH₂, R¹O, NH₂, C=OSR¹, SO₂R¹ or NR⁴R⁵;

L is a bond, (CR⁷R^{7'})_n, NH, NR⁵, NH (CR⁷R^{7'})_n, or NR⁵(CR⁷R^{7'})_n, where n = 0-3;

R¹ and R^{1'} are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl;

R² is alkyl or substituted alkyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl;

R³ and R^{3'} are each independently H, alkyl or substituted alkyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl,

cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, halo, CN, hydroxylamine, hydroxamide, alkoxy or substituted alkoxy, amino, NR^1R^2 , thiol, alkylthio or substituted alkylthio;

5 R^4 is H, alkyl or substituted alkyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, $\text{R}^1\text{C}=\text{O}$, $\text{R}^1\text{NHC}=\text{O}$,
10 SO_2OR^1 , or $\text{SO}_2\text{NR}^1\text{R}^{1'}$;


R^5 is alkyl or substituted alkyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, $\text{R}^1\text{C}=\text{O}$, $\text{R}^1\text{NHC}=\text{O}$, SO_2R^1 ,
15 SO_2OR^1 , or $\text{SO}_2\text{NR}^1\text{R}^{1'}$;

R^6 is alkyl or substituted alkyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, CN, OH, OR^1 , $\text{R}^1\text{C}=\text{O}$,
20 $\text{R}^1\text{NHC}=\text{O}$, SO_2R^1 , SO_2OR^1 , or $\text{SO}_2\text{NR}^1\text{R}^{1'}$;

R^7 and $\text{R}^{7'}$ are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, halo, CN, OR^1 , nitro, hydroxylamine, hydroxylamide, amino, NHR^4 , NR^2R^5 , NOR^1 , thiol, alkylthio or substituted alkylthio, $\text{R}^1\text{C}=\text{O}$, $\text{R}^1\text{OC}=\text{O}$, $\text{R}^1\text{C}=\text{O}-\text{O}-$, $\text{R}^1\text{NHC}=\text{O}$, SO_2R^1 , SOR^1 ,
25 $\text{PO}_3\text{R}^1\text{R}^{1'}$, $\text{R}^1\text{R}^{1'}\text{NC}=\text{O}$, $\text{C}=\text{OSR}^1$, SO_2R^1 , SO_2OR^1 , or $\text{SO}_2\text{NR}^1\text{R}^{1'}$; and
30

R^8 and R^8' are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, nitro, halo, CN, OR^1 , amino, NHR^4 , NR^2R^5 , NOR^1 , alkylthio or substituted alkylthio, $C=OSR^1$, $R^1OC=O$, $R^1C=O$, $R^1NHC=O$, $R^1R^1'NC=O$, SO_2OR^1 , $S=OR^1$, SO_2R^1 , $PO_3R^1R^1'$, or $SO_2NR^1R^1'$.

3. A method for treating a condition or disorder comprising administering to a mammalian species in need thereof a therapeutically effective amount of a compound of the following formula I or a pharmaceutically acceptable salt thereof:



where the symbols have the following meanings, and are, for each occurrence, independently selected:

G is a cycloalkenyl, aryl or heterocyclo (e.g., heteroaryl) group, where said group is mono- or polycyclic, and which is optionally substituted at one or more positions, preferably with hydrogen, alkyl or substituted alkyl, alkenyl or substituted alkenyl, alkynyl or substituted alkynyl, halo, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, aryl or substituted aryl, heterocyclo or substituted heterocyclo, arylalkyl or substituted arylalkyl, heterocycloalkyl or substituted heterocycloalkyl, CN, $R^1OC=O$, $R^1C=O-O-$, $R^1C=O$, $R^1C=S$, $R^1HNC=O$, $R^1R^2NC=O$, $HO-CR^3R^3'$, nitro,

R^1OCH_2 , R^1O , NH_2 , NR^4R^5 , SR^1 , $S=OR^1$, SO_2R^1 , SO_2OR^1 , $SO_2NR^1R^{1'}$,
 $(R^1O)(R^{1'}O)P=O$, oxo, $(R^1)(R^{1'})P=O$, or $(R^{1'})(NHR^1)P=O$;

Z_1 is O, S, NH, or NR^6 ;

Z_2 is O, S, NH, or NR^6 ; and

- 5 (i) Y is J-J'-J'' where J is $(CR^7R^{7'})_n$ and $n = 0-3$, J' is a bond, C=O, $CR^7R^{7'}$,
 $C=CR^8R^{8'}$, $R^2P=O$, $R^2P=S$, $R^2OP=O$, $R^2NHP=O$, $OP=OR^2$, $C=NR^7$,
cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl,
heterocyclo or substituted heterocyclo or aryl or substituted aryl, and J'' is
 $(CR^7R^{7'})_n$ and $n = 0-3$, where Y is not a bond;
- 10 W is $CR^7R^{7'}-CR^7R^{7'}$, $CR^8=CR^{8'}$, $CR^7R^{7'}-C=O$, cycloalkyl or substituted
cycloalkyl, cycloalkenyl or substituted cycloalkenyl, or aryl or substituted aryl;
 A_1 is CR^7 or N; and
 A_2 is CR^7 or N; or alternatively
(ii) Y is absent;
- 15 W is $CR^7R^{7'}-CR^7R^{7'}$, $CR^8=CR^{8'}$, $CR^7R^{7'}-C=O$, cycloalkyl or substituted
cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted
heterocyclo, or aryl or substituted aryl;
 A_1 is $CR^7R^{7'}$ or NR^7 ; and
 A_2 is $CR^7R^{7'}$ or NR^7 ; or alternatively
- 20 (iii) Y is absent; and
 A_1 , A_2 and W together are $-NR^7-N=N-$; and
 Q_1 is H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or
substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl,
heterocycloalkyl or substituted heterocycloalkyl, arylalkyl or substituted
- 25 arylalkyl, alkynyl or substituted alkynyl, aryl or substituted aryl, heterocyclo
(e.g., heteroaryl) or substituted heterocyclo (e.g., substituted heteroaryl), halo,
CN, $R^1OC=O$, $R^4C=O$, $R^5R^6NC=O$, $HO-CR^7R^{7'}$, nitro, R^1OCH_2 , R^1O , NH_2 ,
 $C=OSR^1$, SO_2R^1 or NR^4R^5 ;
- Q_2 is H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or
- 30 substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl,
heterocycloalkyl or substituted heterocycloalkyl, arylalkyl or substituted

- arylalkyl, alkynyl or substituted alkynyl, aryl or substituted aryl, heterocyclo (e.g., heteroaryl) or substituted heterocyclo (e.g., substituted heteroaryl), halo, CN, $R^1OC=O$, $R^4C=O$, $R^5R^6NC=O$, $HO-CR^7R^{7'}$, nitro, R^1OCH_2 , R^1O , NH_2 , $C=OSR^1$, SO_2R^1 or NR^4R^5 ;
- 5 L is a bond, $(CR^7R^{7'})_n$, NH, NR^5 , NH $(CR^7R^{7'})_n$, or $NR^5(CR^7R^{7'})_n$, where $n = 0-3$;
 R^1 and $R^{1'}$ are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl;
- 10 R^2 is alkyl or substituted alkyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl;
- 15 R^3 and $R^{3'}$ are each independently H, alkyl or substituted alkyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, halo, CN, hydroxylamine, hydroxamide, alkoxy or substituted alkoxy, amino, NR^1R^2 , thiol, alkylthio or substituted alkylthio;
- 20 R^4 is H, alkyl or substituted alkyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, $R^1C=O$, $R^1NHC=O$, SO_2OR^1 , or $SO_2NR^1R^{1'}$;
- 25 R^5 is alkyl or substituted alkyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo,
- 30

cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, $R^1C=O$, $R^1NHC=O$, SO_2R^1 , SO_2OR^1 , or $SO_2NR^1R^{1'}$;

- 5 R^6 is alkyl or substituted alkyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, CN, OH, OR^1 , $R^1C=O$, $R^1NHC=O$, SO_2R^1 , SO_2OR^1 , or $SO_2NR^1R^{1'}$;
- 10 R^7 and $R^{7'}$ are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, halo, CN, OR^1 , nitro, hydroxylamine, hydroxylamide, amino, NHR^4 , NR^2R^5 , NOR^1 , thiol, alkylthio or substituted alkylthio, $R^1C=O$, $R^1OC=O$, $R^1C=O-O-$, $R^1NHC=O$, SO_2R^1 , SOR^1 , $PO_3R^1R^{1'}$, $R^1R^{1'}NC=O$, $C=OSR^1$, SO_2R^1 , SO_2OR^1 , or $SO_2NR^1R^{1'}$; and
- 15 R^8 and $R^{8'}$ are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, nitro, halo, CN, OR^1 , amino, NHR^4 , NR^2R^5 , NOR^1 , alkylthio or substituted alkylthio, $C=OSR^1$, $R^1OC=O$, $R^1C=O$, $R^1NHC=O$, $R^1R^{1'}NC=O$, SO_2OR^1 , $S=OR^1$, SO_2R^1 , $PO_3R^1R^{1'}$, or $SO_2NR^1R^{1'}$.

wherein said condition or disorder is selected from the group consisting of proliferate diseases, cancers, benign prostate hypertrophy, adenomas and neoplasies of the prostate, benign or malignant tumor cells containing the androgen receptor, heart disease, angiogenic conditions or disorders, hirsutism, acne,

hyperpilosity, inflammation, immune modulation, seborrhea, endometriosis, polycystic ovary syndrome, androgenic alopecia, hypogonadism, osteoporosis, suppressing spermatogenesis, libido, cachexia, anorexia, inhibition of muscular atrophy in ambulatory patients, androgen supplementation for age related decreased testosterone levels in men, cancers expressing the estrogen receptor, prostate cancer, breast cancer, endometrial cancer, hot flushes, vaginal dryness, menopause, amenorrhea, dysmenorrhea, contraception, pregnancy termination, cancers containing the progesterone receptor, menopause, cyclesynchrony, meningioma, fibroids, labor induction, autoimmune disease, Alzheimer's disease, psychotic disorders, drug dependence, non-insulin dependent Diabetes Mellitus, dopamine receptor mediated disorders, congestive heart failure, dysregulation of cholesterol homeostasis, and attenuating the metabolism of a pharmaceutical agent.

4. The method of claim 2, wherein said compound is selected from the group consisting of;
- (3 α ,4 α ,7 α ,7 α)-2-(3-Chloro-4-hydroxyphenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-Hexahydro-2-[4-(1H-tetrazol-5-yl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, trifluoroacetate (1:1), (3 α ,4 α ,7 α ,7 α)-Hexahydro-2-[3-methoxy-4-(1H-1,2,4-triazol-1-yl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(2,3-Dihydro-2-oxo-6-benzothiazolyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(2,3-Dihydro-3-methyl-2-oxo-6-benzothiazolyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(2,3-Dihydro-1-methyl-2-oxo-1H-indol-5-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(2-Fluorenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(1H-Benzotriazol-5-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-[3-Chloro-4-(4-morpholinyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-

- (2,3-Dihydro-1H-inden-5-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Bromo-1-naphthalenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Chloro-1-naphthalenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(7-hydroxy-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(4-nitro-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(1H-indol-5-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(1H-indazol-6-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(1,3-Benzodioxol-5-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[4-Amino-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2-methyl-4-quinoliny)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(8-quinoliny)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(2,3-Dihydro-1,4-benzodioxin-6-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(4-methyl-2-oxo-2H-1-benzopyran-7-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(5-isoquinoliny)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(2,5-Dimethoxy-4-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2,3,5,6-Tetrafluoro-4-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzonitrile, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2,4,5-trifluorophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2,4,5-trichlorophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3,4-Difluorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(2,3-Dihydro-1H-indol-6-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3-Chloro-4-

- fluorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-
dione, (3a α ,4 α ,7 α ,7a α)-2-(3,4-Dichlorophenyl)-3a,4,7,7a-tetrahydro-4,7-
methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-
Tetrahydro-2-(3,4,5-trichlorophenyl)-4,7-methano-1H-isoindole-1,3(2H)-
5 dione, (3a α ,4 α ,7 α ,7a α)-2-(3-Chloro-4-methoxyphenyl)-3a,4,7,7a-
tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3-
Chloro-4-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-
1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2-methyl-1-
naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-
10 (4-Chloro-3-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-
isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3,4-Dimethylphenyl)-3a,4,7,7a-
tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[4-
Bromo-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-
isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Bromo-3-methylphenyl)-
15 3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione,
(3a α ,4 α ,7 α ,7a α)-2-(4-Fluoro-3-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-
methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[4-Fluoro-3-
(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-
1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Chloro-3-nitrophenyl)-3a,4,7,7a-
20 tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[4-
Chloro-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-
isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Chloro-2-methoxy-5-
methylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-
dione, (3a α ,4 α ,7 α ,7a α)-2-(3,5-Dichloro-4-hydroxyphenyl)-3a,4,7,7a-
25 tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-
3a,4,7,7a-Tetrahydro-2-(4-hydroxy-3-nitrophenyl)-4,7-methano-1H-
isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Amino-3-nitrophenyl)-
3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione,
(3a α ,4 α ,7 α ,7a α)-2,2'-(2,3,5,6-Tetramethyl-1,4-phenylene)bis[3a,4,7,7a-
30 tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione], (3a α ,4 α ,7 α ,7a α)-
3a,4,7,7a-Tetrahydro-2-(4-methyl-3-nitrophenyl)-4,7-methano-1H-

- isindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(3,4,5-trimethoxyphenyl)-4,7-methano-1H-isindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3,4-Dimethoxyphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(3-hydroxy-4-methoxyphenyl)-4,7-methano-1H-isindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(5-Chloro-2-hydroxy-4-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2-methoxy-3-dibenzofuranyl)-4,7-methano-1H-isindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2,3,4-trifluorophenyl)-4,7-methano-1H-isindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(2,3-Dihydro-2-methyl-1,3-dioxo-1H-isindol-5-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Bromo-2,3,5,6-tetrafluorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[2,5-Dichloro-4-(1H-pyrrol-1-yl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[3-[(Diethylamino)methyl]-4-hydroxyphenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(6-Benzothiazolyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isindol-2-yl)-2-methoxybenzenecarboxylic acid, methyl ester, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2-oxo-2H-1-benzopyran-6-yl)-4,7-methano-1H-isindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2-methyl-8-quinolinyl)-4,7-methano-1H-isindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2,3,5,6-tetramethyl-4-nitrophenyl)-4,7-methano-1H-isindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2,4,5-trimethylphenyl)-4,7-methano-1H-isindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Fluoro-3-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(3-methoxy-4-methylphenyl)-4,7-methano-1H-isindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-N-Ethyl-5-(1,3,3a,4,7,7a-hexahydro-1,3-

- dioxo-4,7-methano-2H-isoindol-2-yl)-2-methyl-N-phenylbenzenesulfonamide, (3 α ,4 α ,7 α ,7 α)-6-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-2,4-dimethyl-3-pyridinecarbonitrile, (3 α ,4 α ,7 α ,7 α)-2-(3-Dibenzofuranyl)-3a,4,7,7a-
- 5 tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(2'-hydroxy[1,1':3',1''-terphenyl]-5'-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(1,3-Dihydro-2,2-dioxidobenzo[c]thiophen-5-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(2,2,3,3-
- 10 tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(4-Amino-2,3,5,6-tetrafluorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-N-[2-Chloro-6-fluoro-4-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)phenyl]acetamide, (3 α ,4 α ,7 α ,7 α)-4-
- 15 (1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-2-(trifluoromethyl)benzonitrile, (3 α ,4 α ,7 α ,7 α)-2-Fluoro-5-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzonitrile, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-[2-Ethoxy-8-
- 20 methyl-4-(trifluoromethyl)-7-quinoliny]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-[1,2-Dihydro-8-methyl-2-oxo-4-(trifluoromethyl)-7-quinoliny]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(9-Ethyl-9H-carbazol-2-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-
- 25 dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-[4-(1-piperidiny)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-[4-(4-morpholiny)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(7-quinoliny)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(3-Chlorophenyl)-
- 30 3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(2-naphthalenyl)-4,7-methano-1H-

- isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(1,2,3,4-tetrahydro-2-oxo-7-quinolinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-[3-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-2-methylphenoxy]-2-methylpropanoic acid, ethyl ester,
- 5 (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-[4-(4-methyl-1-piperazinyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-[4-(Diethylamino)-1-naphthalenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(8-hydroxy-5-quinolinyl)-4,7-methano-1H-
- 10 isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(4-nitrophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-[2-(4-morpholinyl)-5-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(3,5-Dichlorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-
- 15 dione, (3 α ,4 α ,7 α ,7 α)-2-(3-Chloro-4-fluorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(4-Fluorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-[4-(1,2,3-thiadiazol-4-yl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-N-[2-
- 20 (1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-4-(trifluoromethyl)phenyl]acetamide, (3 α ,4 α ,7 α ,7 α)-N-[5-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-3-(trifluoromethyl)phenyl]acetamide, (3 α ,4 α ,7 α ,7 α)-2-[3-Amino-5-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-
- 25 1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-[1,2-Dihydro-2-oxo-4-(trifluoromethyl)-7-quinolinyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-N-[5-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-6-(methylthio)-8-quinolinyl]acetamide, (3 α ,4 α ,7 α ,7 α)-2-[5-Ethoxy-2-(methoxymethyl)-4-(4-morpholinyl)phenyl]-3a,4,7,7a-tetrahydro-
- 30 4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-[(1R)-1-(1-naphthalenyl)ethyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-

- 1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-[(1S)-1-(1-naphthalenyl)ethyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-4-Fluoro-N-[3-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-5-(trifluoromethyl)phenyl]benzenesulfonamide, (3 α ,4 α ,7 α ,7 α)-
- 5 3a,4,7,7a-Tetrahydro-2-[7-(trifluoromethyl)-4-quinoliny]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-[8-(trifluoromethyl)-4-quinoliny]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(3,4-Dimethyl-5-isoxazolyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-
- 10 tetrahydro-2-(1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-1-naphthalenecarbonitrile, (3 α ,4 α ,7 α ,7 α)-3-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzo[b]thiophene-2-carboxylic acid, methyl ester, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(5-
- 15 nitro-8-isoquinoliny)-4,7-methano-1H-isoindole-1,3(2H)-dione, trifluoroacetate (1:1), (3 α ,4 α ,7 α ,7 α)-2-(4-Amino-1-naphthalenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(4-hydroxy-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-
- 20 Tetrahydro-2-(3-methylphenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(4-Bromophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzonitrile, (3 α ,4 α ,7 α ,7 α)-N-[4-
- 25 naphthalenyl]acetamide, (3 α ,4 α ,7 α ,7 α)-N-[4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-1-naphthalenyl]methanesulfonamide, (3 α ,4 α ,7 α ,7 α)-2-(5-Bromo-8-isoquinoliny)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-
- 30 dione, (3 α ,4 α ,7 α ,7 α)-2-(7,8-Dichloro-5-quinoliny)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(3-methyl-4-nitrophenyl)-4,7-methano-1H-isoindole-1,3(2H)-

- dione, (3 α ,4 α ,7 α ,7 α)-N-[4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-1-naphthalenyl]-N'-methylurea, (3 α ,4 α ,7 α ,7 α)-4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-2-methoxy-1-naphthalenecarbonitrile, (3 α ,4 α ,7 α ,7 α)-2-(6-Bromo-1,2-benzisoxazol-3-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(5-Bromo-1,2-benzisoxazol-3-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(4-Fluoro-1H-indazol-3-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(6-Chloro-1H-indazol-3-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(5-nitro-1,2-benzisoxazol-3-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-2-benzofurancarboxylic acid, methyl ester, (3 α ,4 α ,7 α ,7 α)-2-(3-Benzofuranyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(4-Chlorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(2-Fluorenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(1H-Benzotriazol-5-yl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-[3-Chloro-4-(4-morpholinyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(2,3-Dihydro-1H-inden-5-yl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(4-Bromo-1-naphthalenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(4-Chloro-1-naphthalenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(5-Amino-1-naphthalenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(7-hydroxy-1-naphthalenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(4-nitro-1-naphthalenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(1H-indol-5-yl)-4,7-

- ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(1H-indazol-6-yl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(1,3-Benzodioxol-5-yl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-[4-Amino-3-
- 5 (trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(3-Chloro-4-iodophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(8-quinoliny)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(1,4-Benzodioxin-6-yl)-3a,4,7,7a-tetrahydro-4,7-
- 10 ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-[2-oxo-4-(trifluoromethyl)-2H-1-benzopyran-7-yl]-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(4-methyl-2-oxo-2H-1-benzopyran-7-yl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(5-isoquinoliny)-4,7-
- 15 ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(2,5-Dimethoxy-4-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(2,4,5-trifluorophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(2,4,5-trichlorophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-
- 20 (2-Amino-4,5-dichlorophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(3,4-Difluorophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-1-Acetyl-6-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-ethano-2H-isoindol-2-yl)-2,3-dihydro-1H-indole, (3 α ,4 α ,7 α ,7 α)-(3-Chloro-4-fluorophenyl)-
- 25 3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(3,4-Dichlorophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(3,4,5-trichlorophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(3-Chloro-4-methoxyphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-
- 30 1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(3-Chloro-4-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-

- 3a,4,7,7a-Tetrahydro-2-(2-methyl-1-naphthalenyl)-4,7-ethano-1H-
 isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Chloro-3-methylphenyl)-
 3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione,
 (3a α ,4 α ,7 α ,7a α)-2-(3,4-Dimethylphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-
 5 1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[4-Bromo-3-
 (trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-
 1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Bromo-3-methylphenyl)-3a,4,7,7a-
 tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-
 Fluoro-3-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-
 10 1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[4-Fluoro-3-(trifluoromethyl)phenyl]-
 3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione,
 (3a α ,4 α ,7 α ,7a α)-2-(4-Chloro-3-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-
 ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[4-Chloro-3-
 (trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-
 15 1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Chloro-2-methoxy-5-methylphenyl)-
 3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione,
 (3a α ,4 α ,7 α ,7a α)-2-(3,5-Dichloro-4-hydroxyphenyl)-3a,4,7,7a-tetrahydro-
 4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-
 Tetrahydro-2-(4-hydroxy-3-nitrophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-
 20 dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Amino-3-nitrophenyl)-3a,4,7,7a-tetrahydro-
 4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Amino-
 2,3,5,6-tetramethylphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-
 1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(4-methyl-3-
 nitrophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-
 25 3a,4,7,7a-Tetrahydro-2-(3,4,5-trimethoxyphenyl)-4,7-ethano-1H-isoindole-
 1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3,4-Dimethoxyphenyl)-3a,4,7,7a-
 tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-
 3a,4,7,7a-Tetrahydro-2-(3-hydroxy-4-methoxyphenyl)-4,7-ethano-1H-
 isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-6-(1,3,3a,4,7,7a-Hexahydro-1,3-
 30 dioxo-4,7-ethano-2H-isoindol-2-yl)-1,4(2H,3H)-phthalazinedione,
 (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(4-methyl-5-nitro-2-pyridinyl)-4,7-

- ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-Chloro-4-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-ethano-2H-isoindol-2-yl)- α -phenylbenzeneacetonitrile, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(2-methoxy-3-dibenzofuranyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione,
- 5 (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(2,3,4-trifluorophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(2,3-Dihydro-2-methyl-1,3-dioxo-1H-isoindol-5-yl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-[2,5-Dichloro-4-(1H-pyrrol-1-yl)phenyl]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione,
- 10 (3 α ,4 α ,7 α ,7 α)-2-[3-[(Diethylamino)methyl]-4-hydroxyphenyl]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-[4-(methoxymethyl)-2-oxo-2H-1-benzopyran-7-yl]-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(6-Benzothiazolyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-
- 15 dione, (3 α ,4 α ,7 α ,7 α)-4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-ethano-2H-isoindol-2-yl)-2-methoxybenzoic acid, methyl ester, (3 α ,4 α ,7 α ,7 α)-5-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-ethano-2H-isoindol-2-yl)-2-methylbenzonitrile, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(2-oxo-2H-1-benzopyran-6-yl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-
- 20 3a,4,7,7a-Tetrahydro-2-(2-methyl-8-quinoliny)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(2,3,5,6-tetramethyl-4-nitrophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(2,4,5-trimethylphenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(4-Fluoro-3-
- 25 methylphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3a,4,7,7a-Tetrahydro-2-(3-methoxy-4-methylphenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-N-Ethyl-5-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-ethano-2H-isoindol-2-yl)-2-methyl-N-phenylbenzenesulfonamide, (3 α ,4 α ,7 α ,7 α)-2,6-Dibromo-4-
- 30 (1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-ethano-2H-isoindol-2-yl)benzenesulfonamide, (3 α ,4 α ,8 α ,8 α)-2-(2,3-Dimethyl-1H-indol-5-yl)-

- 3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione,
 (3a α ,4 α ,7 α ,7a α)-2-(3-Dibenzofuranyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-
 isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2'-
 hydroxy[1,1':3',1''-terphenyl]-5'-yl)-4,7-ethano-1H-isoindole-1,3(2H)-dione,
 5 (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(5,6,7,8-tetrahydro-3-hydroxy-2-
 naphthalenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-
 (1,3-Dihydro-2,2-dioxidobenzo[c]thiophen-5-yl)hexahydro-4,7-ethano-1H-
 isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2-
 hydroxy-4,5-dimethylphenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione,
 10 (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(2,2,3,3-tetrafluoro-2,3-dihydro-
 1,4-benzodioxin-6-yl)-4,7-ethano-1H-isoindole-1,3(2H)-dione,
 (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(1H-indazol-5-yl)-4,7-ethano-1H-
 isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Amino-2,3,5,6-
 tetrafluorophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-
 15 dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Bromo-3-chlorophenyl)-3a,4,7,7a-tetrahydro-
 4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-
 Tetrahydro-2-(5-hydroxy-1-naphthalenyl)-4,7-ethano-1H-isoindole-
 1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-N-[2-Chloro-6-fluoro-4-(1,3,3a,4,7,7a-
 hexahydro-1,3-dioxo-4,7-ethano-2H-isoindol-2-yl)phenyl]acetamide,
 20 (3a α ,4 α ,7 α ,7a α)-4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-ethano-2H-
 isoindol-2-yl)-2-(trifluoromethyl)benzonitrile, (3a α ,4 α ,7 α ,7a α)-5-
 (1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-ethano-2H-isoindol-2-yl)-2-(4-
 morpholinyl)benzoic acid, methyl ester, (3a α ,4 α ,7 α ,7a α)-2-Fluoro-5-
 (1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-ethano-2H-isoindol-2-
 25 yl)benzonitrile, (3a α ,4 α ,7 α ,7a α)-2-(4-Bromophenyl)-3a,4,7,7a-tetrahydro-
 4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-
 Tetrahydro-2-(2-naphthalenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione,
 (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-[3-(trifluoromethyl)phenyl]-4,7-
 ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-
 2-(4-nitrophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,8 α ,8a α)-
 30 2-(9-Ethyl-9H-carbazol-3-yl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-

- 1,3(2H)-dione, (3 α ,4 α ,8 α ,8 α)-2-[1,2-Dihydro-8-methyl-2-oxo-4-(trifluoromethyl)-7-quinolinyl]-3 α ,4,7,7 α -tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-[3,5-Bis(trifluoromethyl)phenyl]tetrahydro-4,7-ethano-1H-isoindole-
- 5 1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(1,2,3,4-tetrahydro-1-naphthalenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(2,3-Dihydro-1H-inden-5-yl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-4-(Octahydro-1,3,5-trioxo-4,7-ethano-2H-isoindol-2-yl)-1-naphthalenecarbonitrile, (3 α ,4 α ,7 α ,7 α)-2-
- 10 (4-Chloro-1-naphthalenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(4-nitro-1-naphthalenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(2-naphthalenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(5-quinolinyl)-4,7-
- 15 ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(6-quinolinyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(4-methyl-2-oxo-2H-1-benzopyran-7-yl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(5-isoquinolinyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione,
- 20 (3 α ,4 α ,7 α ,7 α)-2-(3,5-Dinitrophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(2,5-Dibromophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(2,4,5-trifluorophenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-[2-Fluoro-5-(trifluoromethyl)phenyl]tetrahydro-4,7-
- 25 ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(2-Fluoro-5-methylphenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(2,4,5-trichlorophenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(2-Chloro-4-nitrophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione,
- 30 (3 α ,4 α ,7 α ,7 α)-2-[2-Chloro-5-(trifluoromethyl)phenyl]tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3-

- Fluorophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione,
(3 α ,4 α ,7 α ,7 α)-2-(3,4-Difluorophenyl)tetrahydro-4,7-ethano-1H-isoindole-
1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3,5-Difluorophenyl)tetrahydro-4,7-
ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3-
- 5 Chlorophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione,
(3 α ,4 α ,7 α ,7 α)-2-(3-Chloro-4-fluorophenyl)tetrahydro-4,7-ethano-1H-
isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3,4-
Dichlorophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione,
(3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(3,4,5-trichlorophenyl)-4,7-ethano-1H-
- 10 isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3-Chloro-4-
methylphenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione,
(3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(3-iodophenyl)-4,7-ethano-1H-isoindole-
1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(3-nitrophenyl)-4,7-
ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3-
- 15 Acetylphenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione,
(3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-[3-(trifluoromethyl)phenyl]-4,7-ethano-1H-
isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3,4-
Dimethylphenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione,
(3 α ,4 α ,7 α ,7 α)-2-(3,5-Dimethylphenyl)tetrahydro-4,7-ethano-1H-
- 20 isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3-
Ethylphenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione,
(3 α ,4 α ,7 α ,7 α)-2-(4-Bromophenyl)tetrahydro-4,7-ethano-1H-isoindole-
1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(4-Fluoro-3-
nitrophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione,
- 25 (3 α ,4 α ,7 α ,7 α)-2-[4-Fluoro-3-(trifluoromethyl)phenyl]tetrahydro-4,7-
ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(4-Chloro-3-
nitrophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione,
(3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(4-iodophenyl)-4,7-ethano-1H-isoindole-
1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(4-nitrophenyl)-4,7-
- 30 ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-[4-
(1-methylethyl)phenyl]-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione,

- (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(4-methyl-3-nitrophenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-4-(Octahydro-1,3,5-trioxo-4,7-ethano-2H-isoindol-2-yl)benzeneacetonitrile, (3 α ,4 α ,7 α ,7 α)-2-(4-Ethylphenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione,
- 5 (3 α ,4 α ,7 α ,7 α)-2-[4-[2-(Acetyloxy)ethyl]phenyl]tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(4-propylphenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(2,3,4-trifluorophenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(4-Bromo-2,6-
- 10 difluorophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(6-Benzothiazolyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(2-methyl-8-quinolinyl)-4,7-ethano-1H-
- 15 isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(4-Fluoro-3-methylphenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(1,3-Dihydro-3-oxo-5-isobenzofuranyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-N-[2-Nitro-4-(octahydro-1,3,5-trioxo-4,7-ethano-2H-isoindol-2-yl)phenyl]acetamide,
- 20 (3 α ,4 α ,7 α ,7 α)-2-(2-Ethyl-5-nitrophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(2-methyl-5-benzofuranyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(1H-indazol-5-yl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(4-Bromo-3-
- 25 chlorophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-[3-(trifluoromethoxy)phenyl]-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-4-(Octahydro-1,3,5-trioxo-4,7-ethano-2H-isoindol-2-yl)-2-(trifluoromethyl)benzonitrile, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-[2-(methylsulfonyl)-4-nitrophenyl]-4,7-
- 30 ethano-1H-isoindole-1,3,5(2H,4H)-trione; (3 α ,4 α ,7 α ,7 α)-2-(3,5-Dibromophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione,

- (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(3-iodo-4-methylphenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3-Chloro-4-iodophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(2-methyl-6-quinoliny)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-[2-(methylthio)-5-(trifluoromethyl)phenyl]-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(4-Bromo-2,6-diethylphenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-[4-(trifluoromethyl)phenyl]-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(4-Chloro-3-methylphenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-[4-(methoxymethyl)-2-oxo-2H-1-benzopyran-7-yl]-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-N-Methyl-3-(octahydro-1,3,5-trioxo-4,7-ethano-2H-isoindol-2-yl)benzamide, (3 α ,4 α ,7 α ,7 α)-2-(6-Acetyl-1,3-benzodioxol-5-yl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(3,4,5-trifluorophenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-Bromo-5-(octahydro-1,3,5-trioxo-4,7-ethano-2H-isoindol-2-yl)benzoic acid, methyl ester, (3 α ,4 α ,7 α ,7 α)-2-(3-Chloro-4-nitrophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-[5-[(Difluoromethyl)sulfonyl]-2-methoxyphenyl]tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(1-naphthalenyl)-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(4-Bromo-1-naphthalenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(3,5-Dichlorophenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-[4-Bromo-3-(trifluoromethyl)phenyl]tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(4-Bromo-3-methylphenyl)tetrahydro-4,7-ethano-1H-isoindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(4-Bromo-1-naphthalenyl)tetrahydro-4,7-ethano-1H-

- isindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(1-naphthalenyl)-4,7-ethano-1H-isindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-[2-methyl-3-(trifluoromethyl)phenyl]-4,7-ethano-1H-isindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-(2,2-Difluoro-1,3-benzodioxol-5-yl)tetrahydro-4,7-ethano-1H-isindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-[4-(4-Chlorophenoxy)-2-(trifluoromethyl)phenyl]tetrahydro-4,7-ethano-1H-isindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-2-Fluoro-5-(octahydro-1,3,5-trioxo-4,7-ethano-2H-isindol-2-yl)benzonitrile, (3 α ,4 α ,7 α ,7 α)-2-Chloro-4-(octahydro-1,3,5-trioxo-4,7-ethano-2H-isindol-2-yl)benzonitrile, (3 α ,4 α ,7 α ,7 α)-N-[4-(Octahydro-1,3,5-trioxo-4,7-ethano-2H-isindol-2-yl)-2-(trifluoromethyl)phenyl]acetamide, (3 α ,4 α ,7 α ,7 α)-2-[4-(1,1-Dimethylethyl)-3-nitrophenyl]tetrahydro-4,7-ethano-1H-isindole-1,3,5(2H,4H)-trione
- (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-(3-methyl-4-nitrophenyl)-4,7-ethano-1H-isindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-Tetrahydro-2-[3-(1-methylethyl)phenyl]-4,7-ethano-1H-isindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-N-(1,1-Dimethylethyl)-5-(octahydro-1,3,5-trioxo-4,7-ethano-2H-isindol-2-yl)-1-naphthalenesulfonamide, (3 α ,4 α ,7 α ,7 α)-2-[3-(1,1-Dimethylethyl)phenyl]tetrahydro-4,7-ethano-1H-isindole-1,3,5(2H,4H)-trione, (3 α ,4 α ,7 α ,7 α)-N-Butyl-3-(octahydro-1,3,5-trioxo-4,7-ethano-2H-isindol-2-yl)benzenesulfonamide, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-(3,4-Dichlorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[*f*]isindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-(4-Bromo-3-methylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[*f*]isindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-(1-naphthalenyl)-4,6-ethanocycloprop[*f*]isindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-(2-naphthalenyl)-4,6-ethanocycloprop[*f*]isindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-[3-(trifluoromethyl)phenyl]-4,6-

- ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(3,5-Dichlorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-
- ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-4,6-
- 5 ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-[3,5-Bis(trifluoromethyl)phenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-
- ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(1,2,3,4-tetrahydro-1-naphthalenyl)-4,6-
- ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-
- 10 (2,3-Dihydro-1H-inden-5-yl)-4,4a,5,5a,6,6a-hexahydro-4,6-
- ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4-(Octahydro-1,3-dioxo-4,6-ethanocycloprop[fl]isoindol-2(1H)-yl)-1-naphthalenecarbonitrile, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(4-Bromo-1-naphthalenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[fl]isoindole-
- 15 1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(4-Chloro-1-naphthalenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(5-quinolinyl)-4,6-ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(6-quinolinyl)-4,6-
- 20 ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(4-methyl-2-oxo-2H-1-benzopyran-7-yl)-4,6-ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(5-isoquinolinyl)-4,6-
- ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-
- 25 (3,5-Dinitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-
- ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(2,4,5-trifluorophenyl)-4,6-
- ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-
- [2-Fluoro-5-(trifluoromethyl)phenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-
- 30 ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(2-Fluoro-5-methylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-

- ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-(2-Chloro-4-nitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-
- ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-[2-Chloro-5-(trifluoromethyl)phenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-
- 5 ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-(3-Fluorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-
- ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-(3,4-Difluorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-
- ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-
- 10 (3-Fluoro-4-methylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-
- ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-(3,5-Difluorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-
- ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-
- (3-Chlorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-
- 15 ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-(3-Chloro-4-fluorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-
- ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-(3,4,5-trichlorophenyl)-4,6-
- ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-
- 20 (3-Chloro-4-methylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-
- ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-(3-iodophenyl)-4,6-
- ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-(3-nitrophenyl)-4,6-
- 25 ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-(3-Acetylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-(3,4-Dimethylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-(3,5-Dimethylphenyl)-4,4a,5,5a,6,6a-
- 30 hexahydro-4,6-ethanocycloprop[fl]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-[3-

- (hydroxymethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(3-Ethylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4-(Octahydro-1,3-dioxo-4,6-
- 5 ethanocycloprop[f]isoindol-2(1H)-yl)benzonitrile, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(4-Bromophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-[4-Bromo-3-(trifluoromethyl)phenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-
- 10 (4-Fluoro-3-nitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-[4-Fluoro-3-(trifluoromethyl)phenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(4-Chloro-3-nitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-
- 15 ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(4-iodophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(4-nitrophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-
- 20 4,4a,5,5a,6,6a-Hexahydro-2-[4-(1-methylethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(4-methyl-3-nitrophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4-
- (Octahydro-1,3-dioxo-4,6-ethanocycloprop[f]isoindol-2(1H)-
- 25 yl)benzeneacetonitrile, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(4-Ethylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(4-propylphenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(2,3,4-
- 30 trifluorophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-[4-(1,1-Dimethylethyl)-3-nitrophenyl]-

- 4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione
(3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(4-Bromo-2,6-difluorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione,
- 5 (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(6-Benzothiazolyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione,
(3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(2-methyl-8-quinoliny)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione,
(3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(4-Fluoro-3-methylphenyl)-4,4a,5,5a,6,6a-
- 10 hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione,
(3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(1,3-Dihydro-3-oxo-5-isobenzofuranyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-N-[2-Nitro-4-(octahydro-1,3-dioxo-4,6-ethanocycloprop[f]isoindol-2(1H)-yl)phenyl]acetamide,
- 15 (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(5-Acetyl-2-methyl-4-nitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(2-Ethyl-5-nitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione,
(3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(2-methyl-5-
- 20 benzofuranyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione,
(3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(2,3-Dihydro-1-oxo-1H-inden-5-yl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-(1H-indazol-5-yl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione,
- 25 (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-[4-[2,2,2-trifluoro-1-hydroxy-1-(trifluoromethyl)ethyl]phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-2-(4-Bromo-3-chlorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4,4a,5,5a,6,6a-Hexahydro-2-[3-
- 30 (trifluoromethoxy)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a α ,4 β ,4a α ,5a α ,6 β ,6a α)-4-(Octahydro-1,3-dioxo-4,6-

- ethanocycloprop[f]isoindol-2(1H)-yl)-2-(trifluoromethyl)benzonitrile,
 (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-[4-methoxy-3-
 (trifluoromethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-
 dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-(3,5-Dibromophenyl)-4,4a,5,5a,6,6a-
 5 hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione,
 (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-(3-iodo-4-
 methylphenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione,
 (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-(3-Chloro-4-iodophenyl)-4,4a,5,5a,6,6a-
 hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione,
 10 (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-(2-methyl-6-
 quinoliny)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione,
 (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-[4-
 (trifluoromethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-
 dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-(4-Chloro-3-methylphenyl)-
 15 4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-
 dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-[4-
 (methoxymethyl)-2-oxo-2H-1-benzopyran-7-yl]-4,6-
 ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-
 4,4a,5,5a,6,6a-Hexahydro-2-(2-oxo-2H-1-benzopyran-6-yl)-4,6-
 20 ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-
 4,4a,5,5a,6,6a-Hexahydro-2-[2-[(1-methylethyl)amino]-5-
 (trifluoromethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-
 dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-(3-Chloro-4-nitrophenyl)-4,4a,5,5a,6,6a-
 hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione,
 25 (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-(3-methyl-4-
 nitrophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione,
 (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-[5-[(Difluoromethyl)sulfonyl]-2-
 methoxyphenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-
 1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-
 30 [3-(1-methylethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-
 dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-N-(1,1-Dimethylethyl)-5-(octahydro-1,3-

- dioxo-4,6-ethanocycloprop[f]isoindol-2(1H)-yl)-1-naphthalenesulfonamide, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-[4-[(trifluoromethyl)thio]phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-[2-(2-methoxyphenoxy)-5-(trifluoromethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-[4-(1,1,2,2-tetrafluoroethoxy)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-N-[4-(Octahydro-1,3-dioxo-4,6-ethanocycloprop[f]isoindol-2(1H)-yl)-2-(trifluoromethyl)phenyl]acetamide, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-(3-Acetyl-4-nitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-[3-(1,1-Dimethylethyl)phenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-N-Butyl-3-(Octahydro-1,3-dioxo-4,6-ethanocycloprop[f]isoindol-2(1H)-yl)benzenesulfonamide, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-[2-methyl-3-(trifluoromethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-Fluoro-5-(Octahydro-1,3-dioxo-4,6-ethanocycloprop[f]isoindol-2(1H)-yl)benzonitrile, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-N-Methyl-3-(octahydro-1,3-dioxo-4,6-ethanocycloprop[f]isoindol-2(1H)-yl)benzamide, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-(4-nitro-1-naphthalenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, 2-(2-Fluorenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-[3-Chloro-4-(4-morpholinyl)phenyl]hexahydro-1H-isoindole-1,3(2H)-dione, 2-(2,3-Dihydro-1H-inden-5-yl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Bromo-1-naphthalenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Chloro-1-naphthalenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(3-iodo-4-methylphenyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(4-nitro-1-naphthalenyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(1H-indol-5-yl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(5-quinoliny)-1H-isoindole-

- 1,3(2H)-dione, Hexahydro-2-(1H-indazol-6-yl)-1H-isoindole-1,3(2H)-dione,
 2-(1,3-Benzodioxol-5-yl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(3-
 Fluoro-4-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione,
 Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-1H-isoindole-1,3(2H)-
 5 dione, Hexahydro-2-(8-quinolinyl)-1H-isoindole-1,3(2H)-dione, 2-(2,3-
 Dihydro-1,4-benzodioxin-6-yl)hexahydro-1H-isoindole-1,3(2H)-dione,
 Hexahydro-2-(4-methyl-2-oxo-2H-1-benzopyran-7-yl)-1H-isoindole-1,3(2H)-
 dione, Hexahydro-2-(5-isoquinolinyl)-1H-isoindole-1,3(2H)-dione,
 Hexahydro-2-(2,4,5-trifluorophenyl)-1H-isoindole-1,3(2H)-dione,
 10 Hexahydro-2-(2,4,5-trichlorophenyl)-1H-isoindole-1,3(2H)-dione,
 Hexahydro-2-(2,3,4,6-tetrafluorophenyl)-1H-isoindole-1,3(2H)-dione, 2-
 (3,4-Difluorophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 1-Acetyl-2,3-
 dihydro-6-(octahydro-1,3-dioxo-2H-isoindol-2-yl)-1H-indole, 2-(3-Chloro-4-
 fluorophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(3,4-
 15 Dichlorophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-
 (3,4,5-trichlorophenyl)-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-4-
 methoxyphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-4-
 methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2-
 methyl-1-naphthalenyl)-1H-isoindole-1,3(2H)-dione, 2-(4-Chloro-3-
 20 methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(3,4-
 Dimethylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-[4-Bromo-3-
 (trifluoromethyl)phenyl]hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-
 Bromo-3-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-
 Fluoro-3-nitrophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-[4-Fluoro-3-
 25 (trifluoromethyl)phenyl]hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-
 Chloro-3-nitrophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-[4-Chloro-
 3-(trifluoromethyl)phenyl]hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-
 Chloro-2-methoxy-5-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione,
 2-(3-Fluoro-4-methoxyphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-
 30 Bromo-5-(octahydro-1,3-dioxo-2H-isoindol-2-yl)benzoic acid, methyl ester,
 Hexahydro-2-(4-methyl-3-nitrophenyl)-1H-isoindole-1,3(2H)-dione,

- Hexahydro-2-(3,4,5-trimethoxyphenyl)-1H-isoindole-1,3(2H)-dione, 2-(3,4-Dimethoxyphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-[2-(2-pyridinyl)-1H-benzimidazol-5-yl]-1H-isoindole-1,3(2H)-dione, 2-(9-Ethyl-9H-carbazol-3-yl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-5 2-(2-methoxy-3-dibenzofuranyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2,3,4-trifluorophenyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-methyl-5-(octahydro-1,3-dioxo-2H-isoindol-2-yl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-[6-(methylthio)-5-nitro-8-quinolinyl]-1H-isoindole-1,3(2H)-dione, 2-[2,5-Dichloro-4-(1H-pyrrol-1-yl)phenyl]hexahydro-1H-isoindole-10 1,3(2H)-dione, Hexahydro-2-(6-methyl-5-quinolinyl)-1H-isoindole-1,3(2H)-dione, N-(1,1-Dimethylethyl)-5-(octahydro-1,3-dioxo-2H-isoindol-2-yl)-1-naphthalenesulfonamide, Hexahydro-2-[4-(methoxymethyl)-2-oxo-2H-1-benzopyran-7-yl]-1H-isoindole-1,3(2H)-dione, 2-(6-Benzothiazolyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-Methoxy-4-15 (octahydro-1,3-dioxo-2H-isoindol-2-yl)benzoic acid, methyl ester, 2-Methyl-5-(octahydro-1,3-dioxo-2H-isoindol-2-yl)benzonitrile, Hexahydro-2-(2-oxo-2H-1-benzopyran-6-yl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2-methyl-8-quinolinyl)-1H-isoindole-1,3(2H)-dione, 2-[3,5-Bis(trifluoromethyl)phenyl]hexahydro-1H-isoindole-1,3(2H)-dione, 20 Hexahydro-2-(2,4,5-trimethylphenyl)-1H-isoindole-1,3(2H)-dione, 2-(4-Fluoro-3-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(3-methoxy-4-methylphenyl)-1H-isoindole-1,3(2H)-dione, N-Ethyl-2-methyl-5-(octahydro-1,3-dioxo-2H-isoindol-2-yl)-N-phenylbenzenesulfonamide, 2-(2,3-Dimethyl-1H-indol-5-yl)hexahydro-1H-25 isoindole-1,3(2H)-dione, 2-(3-Dibenzofuranyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Bromophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-4-nitrophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(1,3-Dihydro-2,2-dioxidobenzo[c]thiophen-5-yl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(6-nitro-2-naphthalenyl)-1H-isoindole-1,3(2H)-dione, 30 Hexahydro-2-(1H-indazol-5-yl)-1H-isoindole-1,3(2H)-dione, 2-(4-Amino-2,3,5,6-tetrafluorophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-

- Bromo-3-chlorophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(1,2-Dihydro-4-methyl-2-oxo-7-quinolinyl)hexahydro-1H-isoindole-1,3(2H)-dione, 4-(Octahydro-1,3-dioxo-2H-isoindol-2-yl)-2-(trifluoromethyl)benzonitrile, Hexahydro-2-(9-oxo-9H-fluoren-1-yl)-1H-isoindole-1,3(2H)-dione, 2-Fluoro-5-(octahydro-1,3-dioxo-2H-isoindol-2-yl)benzonitrile, Hexahydro-2-(9-oxo-9H-fluoren-2-yl)-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-4-iodophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Bromo-2,3,5,6-tetrafluorophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2,3,5,6-tetramethyl-4-nitrophenyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)-1H-isoindole-1,3(2H)-dione, 2-(3-Bromo-4-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Bromo-2-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(1-naphthalenyl)-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-2-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-Hexahydro-2-(2-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(2-Amino-4,5-dichlorophenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-Hexahydro-2-(4-nitro-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-Hexahydro-2-(8-hydroxy-5-quinolinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-Hexahydro-2-(1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-4-(Octahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-1-naphthalenecarbonitrile, (3 α ,4 α ,7 α ,7 α)-Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(4-Bromo-1-naphthalenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(2-Fluorenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-Hexahydro-2-(2-methyl-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(3,5-Dichlorophenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(3-Chlorophenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(3-Chloro-4-

- fluorophenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione,
 (3 α ,4 α ,7 α ,7 α)-Hexahydro-2-[3-(trifluoromethyl)phenyl]-4,7-methano-
 1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-[4-Bromo-3-
 (trifluoromethyl)phenyl]hexahydro-4,7-methano-1H-isoindole-1,3(2H)-
 5 dione, (3 α ,4 α ,7 α ,7 α)-2-(4-Bromo-3-methylphenyl)hexahydro-4,7-
 methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(1,2-Dihydro-4-
 methyl-2-oxo-7-quinolinyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-
 dione, (3 α ,4 α ,7 α ,7 α)-Hexahydro-2-(4-pyridinyl)-4,7-methano-1H-
 isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-Hexahydro-2-(1-oxido-4-
 10 pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-
 Hexahydro-2-(6-quinolinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione,
 (3 α ,4 α ,7 α ,7 α)-Hexahydro-2-(1-oxido-6-quinolinyl)-4,7-methano-1H-
 isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-Hexahydro-2-(5-nitro-8-
 isoquinoliny)-4,7-methano-1H-isoindole-1,3(2H)-dione, trifluoroacetate
 15 (1:1), (3 α ,4 α ,7 α ,7 α)-Hexahydro-2-[4-(methylsulfonyl)phenyl]-4,7-
 methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-Hexahydro-2-[4-
 (methylthio)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione,
 (3 α ,4 α ,7 α ,7 α)-4-(Octahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-
 yl)benzenesulfonamide, (3 α ,4 α ,7 α ,7 α)-Hexahydro-2-[4-
 20 (methylsulfinyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione,
 (3 α ,4 α ,7 α ,7 α)-2-(4-Fluoro-1-naphthalenyl)hexahydro-4,7-methano-1H-
 isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-4-(Octahydro-1,3-dioxo-4,7-
 methano-2H-isoindol-2-yl)-1-naphthalenecarboxylic acid, methyl ester,
 (3 α ,4 α ,7 α ,7 α)-2-(1,1-Dioxido-2H-naphth[1,8-cd]isothiazol-5-
 25 yl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-
 Hexahydro-2-(6-hydroxy-3-pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-
 dione, (3 α ,4 α ,7 α ,7 α)-2-(1,2-Benzisothiazol-3-yl)hexahydro-4,7-methano-
 1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-(3-Benzofuranyl)hexahydro-
 4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-3-(Octahydro-
 30 1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-2-benzofurancarboxylic acid,

- methyl ester, (3 α ,4 α ,7 α ,7 α)-Hexahydro-2-[4-(4-isothiazolyl)phenyl]-4,7-
 methano-1H-isoindole-1,3(2H)-dione,
 (3 α ,4 α ,4 β ,5 β ,6 α ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-[3-(trifluoromethyl)phenyl]-
 4,6-methanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3 α ,4 α ,4 β ,5 β ,6 α ,6 α)-
 5 4,4a,5,5a,6,6a-Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-4,6-
 methanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3 α ,4 α ,4 β ,5 β ,6 α ,6 α)-
 4,4a,5,5a,6,6a-Hexahydro-2-(4-nitro-1-naphthalenyl)-4,6-
 methanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3 α ,4 α ,4 β ,5 β ,6 α ,6 α)-2-(1,2-
 Dihydro-4-methyl-2-oxo-7-quinoliny)-4,4a,5,5a,6,6a-hexahydro-4,6-
 10 methanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-
 4,4a,5,5a,6,6a-Hexahydro-2-[3-(trifluoromethyl)phenyl]-4,6-
 methanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-(3,5-
 Dichlorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-methanocycloprop[f]isoindole-
 1,3(2H,3aH)-dione, (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-4,4a,5,5a,6,6a-Hexahydro-2-[4-nitro-3-
 15 (trifluoromethyl)phenyl]-4,6-methanocycloprop[f]isoindole-1,3(2H,3aH)-dione,
 (3 α ,4 β ,4 α ,5 α ,6 β ,6 α)-2-(1,2-Dihydro-4-methyl-2-oxo-7-quinoliny)-
 4,4a,5,5a,6,6a-hexahydro-4,6-methanocycloprop[f]isoindole-1,3(2H,3aH)-dione,
 (3 α ,4 β ,7 β ,7 α)-3a,4,7,7a-tetrahydro-2-(2-naphthalenyl)-4,7-methano-1H-isoindole-
 1,3(2H)-dione, (3 α ,4 β ,7 β ,7 α)-Hexahydro-2-(1-naphthalenyl)-4,7-methano-1H-
 20 isoindole-1,3(2H)-dione, (3 α ,4 β ,7 β ,7 α)-2-(3,5-Dichlorophenyl)-3a,4,7,7a-
 tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 β ,7 β ,7 α)-3a,4,7,7a-
 Tetrahydro-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione,
 (3 α ,4 β ,7 β ,7 α)-3a,4,7,7a-Tetrahydro-2-(4-methyl-2-oxo-2H-1-benzopyran-7-yl)-
 4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 β ,7 β ,7 α)-3a,4,7,7a-Tetrahydro-2-
 25 [4-nitro-3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione,
 (3 α ,4 β ,7 β ,7 α)-3a,4,7,7a-Tetrahydro-2-(4-nitro-1-naphthalenyl)-4,7-methano-1H-
 isoindole-1,3(2H)-dione, (3 α ,4 β ,7 β ,7 α)-Hexahydro-2-(2-naphthalenyl)-4,7-
 methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 β ,7 β ,7 α)-Hexahydro-2-[3-
 (trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 β ,7 β ,7 α)-
 30 2-(3,5-Dichlorophenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione,
 (3 α ,4 β ,7 β ,7 α)-Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-4,7-methano-1H-

- isoindole-1,3(2H)-dione, (3 α ,4 β ,7 β ,7 α)-Hexahydro-2-(4-nitro-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 β ,7 β ,7 α)-2-(1,2-Dihydro-4-methyl-2-oxo-7-quinolinyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,5 α ,7 α ,7 α)-Hexahydro-2-(2-naphthalenyl)-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,5 α ,7 α ,7 α)-Hexahydro-5-phenyl-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,5 α ,7 α ,7 α)-Hexahydro-2-(1-naphthalenyl)-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,5 α ,7 α ,7 α)-2-(3,4-Dichlorophenyl)hexahydro-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,5 α ,7 α ,7 α)-2-(3,5-Dichlorophenyl)hexahydro-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,5 α ,7 α ,7 α)-2-(1,2-Dihydro-4-methyl-2-oxo-7-quinolinyl)hexahydro-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,5 β ,7 α ,7 α)-2-(1,2-Dihydro-4-methyl-2-oxo-7-quinolinyl)hexahydro-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, trifluoroacetate (1:1), (3 α ,4 α ,5 β ,7 α ,7 α)-Hexahydro-5-phenyl-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,5 α ,7 α ,7 α)-Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,5 α ,7 α ,7 α)-Hexahydro-2-(4-nitro-1-naphthalenyl)-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,5 β ,7 α ,7 α)-Hexahydro-2-(4-nitro-1-naphthalenyl)-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,5 β ,7 α ,7 α)-Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 β ,8 β ,8 α)-4,5,6,7,8,8a-Hexahydro-2-(4-nitro-1-naphthalenyl)-4,8-ethenocyclohepta[c]pyrrole-1,3(2H,3aH)-dione, (3 α ,4 β ,8 β ,8 α)-4,5,6,7,8,8a-Hexahydro-2-(4-nitrophenyl)-4,8-ethenocyclohepta[c]pyrrole-1,3(2H,3aH)-dione, (3 α ,4 β ,8 β ,8 α)-4,5,6,7,8,8a-Hexahydro-2-(2-naphthalenyl)-4,8-ethenocyclohepta[c]pyrrole-1,3(2H,3aH)-dione, (3 α ,4 β ,8 β ,8 α)-2-[4-Bromo-3-(trifluoromethyl)phenyl]-4,5,6,7,8,8a-hexahydro-4,8-ethenocyclohepta[c]pyrrole-1,3(2H,3aH)-dione, (3 α ,4 β ,8 β ,8 α)-2-(3,4-Dichlorophenyl)-4,5,6,7,8,8a-hexahydro-4,8-ethenocyclohepta[c]pyrrole-1,3(2H,3aH)-dione, (3 α ,4 β ,8 β ,8 α)-4,5,6,7,8,8a-Hexahydro-2-(4-nitro-1-naphthalenyl)-4,8-ethenocyclohepta[c]pyrrole-1,3(2H,3aH)-dione, (3 α ,4 β ,8 β ,8 α)-2-(3,4-Dichlorophenyl)-4,5,6,7,8,8a-hexahydro-4,8-

- ethenocyclohepta[c]pyrrole-1,3(2H,3aH)-dione, (3a α ,4 β ,8 β ,8a α)-2-(3,5-Dichlorophenyl)-4,5,6,7,8,8a-hexahydro-4,8-ethenocyclohepta[c]pyrrole-1,3(2H,3aH)-dione, (3a α ,4 α ,7 α ,7a α)-4,5,6,7,8,8-Hexachloro-3a,4,7,7a-tetrahydro-2-(3-nitrophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-
- 5 4,5,6,7,8,8-Hexachloro-2-[4-(methylthio)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-4,5,6,7,8,8-Hexachloro-2-(5-chloro-2-methoxyphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-4,5,6,7,8,8-Hexachloro-3a,4,7,7a-tetrahydro-2-(3-methoxyphenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-4,5,6,7,8,8-Hexachloro-
- 10 3a,4,7,7a-tetrahydro-2-(1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-4,5,6,7,8,8-Hexachloro-2-(2,3-dimethylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-4,5,6,7,8,8-Hexachloro-2-(3,4-dichlorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Bromophenyl)-4,5,6,7,8,8-hexachloro-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-4,5,6,7,8,8-Hexachloro-3a,4,7,7a-tetrahydro-2-[2-methyl-5-(1-methylethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-N-(2-cyanophenyl)-1,4,5,6,7,7-hexachloro-5-norbornene-2,3-dicarboximide, (3a α ,4 α ,7 α ,7a α)-4,5,6,7,8,8-Hexachloro-2-(3-chloro-4-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-
- 20 isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-4,5,6,7,8,8-Hexachloro-2-(2,3-dichlorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-4,5,6,7,8,8-Hexachloro-3a,4,7,7a-tetrahydro-2-[3-(methylthio)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-4,5,6,7,8,8-Hexachloro-2-(4-fluoro-3-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-
- 25 1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(6-methyl-2-pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(4-pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(4-Ethoxyphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(3-pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(2-pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(3-methyl-2-pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, N-(4,6-Dimethyl-2-pyrimidinyl)-4-
- 30

- (1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzenesulfonamide, 3a,4,7,7a-Tetrahydro-2-[4-(2-hydroxyethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(2-mercaptophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzoic acid, 2-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzoic acid, methyl ester, 4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzoic acid, 3-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzoic acid, methyl ester, 4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzenesulfonamide, N-(4,5-Dihydro-5-methyl-3-isoxazolyl)-4-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzenesulfonamide, 3a,4,7,7a-Tetrahydro-2-(2-hydroxyphenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[4-(phenylmethoxy)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[2-(phenylmethoxy)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[3-(phenylmethoxy)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[4-[(4-nitrophenyl)methoxy]phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[2-[(4-nitrophenyl)methoxy]phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[3-[(4-nitrophenyl)methoxy]phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[4-[(4-methylphenyl)methoxy]phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[3-[(4-methylphenyl)methoxy]phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[2-[(4-methylphenyl)methoxy]phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[4-[(4-Butylphenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[2-[(4-Butylphenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[3-[(4-Butylphenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[4-[(2-Chlorophenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[4-[(4-Chlorophenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[2-[(4-Chlorophenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[2-[(2-Chlorophenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-

- methano-1H-isoindole-1,3(2H)-dione, 2-[3-[(2-Chlorophenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[3-[(4-Chlorophenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[(Benzoyloxy)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[3-(3,4-Dimethylbenzoyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(3,4-Dimethylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzoic acid, ethyl ester, 5-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-1,3-benzenedioic acid, 4-[2-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)phenoxy]benzonitrile, 2-(5-Chloro-2-methoxyphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(2-Acetylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[4-(5-oxazolyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2-[4-Bromo-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-5-methyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 α ,7 α ,7 α)-2'-[4-Bromo-3-(trifluoromethyl)phenyl]-3'a,4',7',7'a-tetrahydrospiro[cyclopropane-1,8'-[4,7]methano[1H]isoindole-1',3'(2H)-dione, (3 α ,4 β ,4 α ,6 α ,7 β ,7 α)-2-(4-Bromo-1-naphthalenyl)-3a,4,4a,6a,7,7a-hexahydro-4,7-etheno-1H-cyclobut[f]isoindole-1,3(2H)-dione, (3 α ,4 β ,4 α ,6 α ,7 β ,7 α)-2-(4-Bromo-3-methylphenyl)-3a,4,4a,6a,7,7a-hexahydro-4,7-etheno-1H-cyclobut[f]isoindole-1,3(2H)-dione, (3 α ,4 β ,4 α ,6 α ,7 β ,7 α)-2-(1,2-Dihydro-4-methyl-2-oxo-7-quinoliny)-3a,4,4a,6a,7,7a-hexahydro-4,7-etheno-1H-cyclobut[f]isoindole-1,3(2H)-dione, (3 α ,4 β ,7 β ,7 α)-2-[3,5-Bis(trifluoromethyl)phenyl]hexahydro-8-(1-methylethylidene)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 β ,7 β ,7 α)-2-(4-Bromo-3-methylphenyl)hexahydro-8-(1-methylethylidene)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 β ,7 β ,7 α)-Hexahydro-8-(1-methylethylidene)-2-(4-nitro-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 β ,7 β ,7 α)-2-(4-Bromo-1-naphthalenyl)hexahydro-8-(1-methylethylidene)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 β ,7 β ,7 α)-Hexahydro-8,8-dihydroxy-2-(4-nitro-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 α ,4 β ,7 β ,7 α)-2-[3,5-

- Bis(trifluoromethyl)phenyl]hexahydro-8,8-dihydroxy-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 β ,7 β ,7a α)-2-(4-Bromo-3-methylphenyl)hexahydro-8,8-dihydroxy-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(4-Bromo-3-methylphenyl)hexahydro-8,8-dihydroxy-4,7-methano-1H-isoindole-1,3(2H)-dione,
- 5 (3a α ,4 α ,7 α ,7a α)-2-(4-Bromo-3-methylphenyl)hexahydro-8-(1-methylethylidene)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-5-phenyl-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-(3,5-
- 10 Dichlorophenyl)-3a,4,7,7a-tetrahydro-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-Tetrahydro-2-[[3-(trifluoromethyl)phenyl]amino]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-2-[(3-Chlorophenyl)amino]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a α ,4 α ,5 α ,7 α ,7a α)-Hexahydro-5-mercapto-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-
- 15 1,3(2H)-dione, (3a α ,4 α ,7 α ,7a α)-3a,4,7,7a-Tetrahydro-2-(4-nitro-1-naphthalenyl)-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a' α ,4' α ,7' α ,7a' α)-2'-(1,2-Dihydro-4-methyl-2-oxo-7-quinolinyl)-3a',4',7',7a'-tetrahydrospiro[cyclopropane-1,8'-[4,7]methano[1H]isoindole]-1',3'(2H)-dione, (3a α ,4 α ,5 α ,7 α ,7a α)-Hexahydro-5-(4-nitrophenyl)-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione,
- 20 Hexahydro-2-(2-mercaptophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 4-(Octahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzoic acid, ethyl ester, 2-[4-(Diethylamino)phenyl]hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,9,9a-Tetrahydro-2-phenyl-4,9[1',2']-benzeno-1H-benz[f]isoindole-1,3(2H)-dione, 5-(Acetyloxy)hexahydro-2-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, 5-
- 25 (Acetyloxy)-2-(4-chlorophenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 5-(Acetyloxy)hexahydro-2-(2-nitrophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 5-(Acetyloxy)-2-(3-chlorophenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, Octahydro-2-(4-methoxyphenyl)-1,3-dioxo-4,7-methano-1H-isoindole-5-carboxylic acid, methyl ester, 2-(2,4-Dichlorophenyl)octahydro-1,3-dioxo-4,7-
- 30 methano-1H-isoindole-5-carboxylic acid, methyl ester, Octahydro-2-(4-nitrophenyl)-1,3-dioxo-4,7-methano-1H-isoindole-5-carboxylic acid, methyl ester, Hexahydro-5-

- hydroxy-2-(4-methoxyphenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(4-Ethoxyphenyl)hexahydro-5-hydroxy-4,7-methano-1H-isoindole-1,3(2H)-dione, Hexahydro-5-hydroxy-2-(4-nitrophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(4-Chlorophenyl)hexahydro-5-hydroxy-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-
- 5 (2,4-Dichlorophenyl)hexahydro-5-hydroxy-4,7-methano-1H-isoindole-1,3(2H)-dione, Hexahydro-5-hydroxy-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 5-(Acetyloxy)hexahydro-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-Hydroxy-5-(octahydro-1,3-dioxo-5-phenyl-1H-isoindol-2-yl)benzoic acid, Hexahydro-2-(4-hydroxyphenyl)-5-phenyl-1H-isoindole-
- 10 1,3(2H)-dione, 2-(4-Ethoxyphenyl)hexahydro-5-phenyl-1H-isoindole-1,3(2H)-dione, Hexahydro-5-phenyl-2-[3-(trifluoromethyl)phenyl]-1H-isoindole-1,3(2H)-dione, 2-(3-Dibenzofuranyl)-3a,4,7,7a-tetrahydro-4,7-diphenyl-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(4-methoxyphenyl)-5-methyl-1H-isoindole-1,3(2H)-dione, 5-(2,4-Dimethylphenyl)-1,6a-dihydro-1-[4-(trifluoromethyl)phenyl]pyrrolo[3,4-d]-1,2,3-
- 15 triazole-4,6(3aH,5H)-dione, Tetrahydro-2-phenyl-1H-isoindole-1,3,5(2H,4H)-trione, 5,6-Dibromo-2-(4-ethoxyphenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-5,6-dimethyl-2-[4-(trifluoromethyl)phenyl]-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-5,6-dimethyl-2-(2-propoxyphenyl)-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-2-methylphenyl)-3a,4,7,7a-tetrahydro-8-(1-
- 20 methylethylidene)-4,7-methano-1H-isoindole-1,3(2H)-dione, 3'a,4',7',7'a-Tetrahydro-2'-(2,4,6-trimethylphenyl)spiro[cyclopropane-1,8'-[4,7]methano[1H]isoindole]-1',3'(2H)-dione, 3a,4,7,7a-Tetrahydro-4-methyl-2-(3-methylphenyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-[4-(2-methyl-5-phenyl-1,3,4-thiadiazol-2-yl)phenyl]-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-5-methyl-2-[4-
- 25 (trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-5-methyl-2-[4-(trifluoromethoxy)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-4-fluorophenyl)hexahydro-5-methyl-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-5-methyl-2-[3-(trifluoromethyl)phenyl]-1H-isoindole-1,3(2H)-dione, 4-[1,3,3a,4,7,7a-Hexahydro-8-(1-methylethylidene)-1,3-
- 30 dioxo-4,7-methano-2H-isoindol-2-yl]benzonitrile, 3a,4,7,7a-Tetrahydro-2-(4-hydroxyphenyl)-1H-isoindole-1,3(2H)-dione, 2-Methyl-2-propenoic acid, 4-(1,3,3a,4,7,7a-hexahydro-5-methyl-1,3-dioxo-2H-isoindol-2-yl)phenyl ester, 2-(4-

- Chlorophenyl)-3a,4,7,7a-tetrahydro-1H-isoindole-1,3(2H)-dione, 4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-2H-isoindol-2-yl)benzenesulfonamide, 3a,4,7,7a-Tetrahydro-2-phenyl-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(2-mercaptophenyl)-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[3-(methylthio)phenyl]-1H-isoindole-1,3(2H)-dione, 2-(4-Ethoxyphenyl)-3a,4,7,7a-tetrahydro-1H-isoindole-1,3(2H)-dione, 4,4a,5,5a,6,6a-Hexahydro-2-[3-(trifluoromethyl)phenyl]-4,6-ethenocycloprop[f]isoindole-1,3(2H,3aH)-dione, 3'a,4',7',7'a-Tetrahydro-2'-(4-nitrophenyl)spiro[cyclopropane-1,8'-[4,7]methano[1H]isoindole]-1',3'(2'H)-dione, 2-Hydroxy-5-(octahydro-1,3-dioxo-5-phenyl-4,7-methano-1H-isoindol-2-yl)benzoic acid, 4-(Octahydro-1,3-dioxo-5-phenyl-4,7-methano-1H-isoindol-2-yl)benzenesulfonamide, Hexahydro-2-(4-hydroxyphenyl)-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(4-Ethoxyphenyl)hexahydro-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, Hexahydro-5-phenyl-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione and (3a α ,4 α ,7 α , 7a α)-2-[4-nitro-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione.

10075870.021402